


Historic, archived document

Do not assume content reflects current
scientific knowledge, policies, or practices

Foreign Files

UNITED STATES OF AMERICA
DEPARTMENT OF AGRICULTURE
BUREAU OF AGRICULTURAL ECONOMICS



Telephone Centrum 168
Telegraphic Address :
"Berusda Berlin"

North European Branch Office,
Pariserplatz 48,
Berlin, Germany.

1.9
EC 75202
AUG 8 1930

Washington, D.C., U.S.A. August 24, 1925.
5:00 p.m. Central European time.

Cotton Crop Report.
(Via radio from Washington, D.C., U.S.A.)

The indicated total cotton production for the United States of America for this season was 13,990,000 bales on August 16, according to the report issued (on August 24) by the Crop Reporting Board of the United States Department of Agriculture.

Drought continues in South Carolina, Northern Georgia and most of south central Texas. Insects and plant diseases are proving to be troublesome in Arkansas. There are improvements in practically all other parts of the cotton belt. The increase in the indicated yield over that of August 1 is due principally to rains in Oklahoma and parts of Texas.

The United States Department of Commerce reports this season's ginnings up to August 16 to be 578,000 bales compared with 136,000 bales for the same period last year.

Baumwoll Erntestand Bericht.
(Deutsche Uebersetzung)

Nach einem am 24. August von dem Ernte Berichterstattungs Ausschusse des amerikanischen Ackerbau Ministeriums herausgegebenen Bericht, versprach der Stand der amerikanischen Baumwollernte am 16. August eine gesamt Erzeugung von 13,990,000 Ballen.

In Süd Carolina, Nord-Georgia, und fast über ganz süd zentral Texas hält die Dürre noch an. In Arkansas haben Insekten und Pflanzenerkrankungen Schaden angerichtet. In fast sämtlichen anderen Teilen des Baumwollgebietes haben Verbesserungen eingesetzt. Die Zunahme in der Höhe der veranschlagten Ernte über die vom 1. August ist hauptsächlich die Folge von Regenfälle in Oklahoma und in Teilen von Texas.

Das amerikanische Handelsministerium meldet eine Entkörnung (Ginning) von 578,000 Ballen für diese Saison bis zum 16. August, gegenüber 136,000 Ballen für dieselbe Zeit im Jahre 1924.

Transmitted by

Wm.A.Schoenfeld,
Agricultural Commissioner
for Northern Europe.